GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Dept., - Dharmavaram Municipality - Vigilance Report No.03 - Allegation of proposing and executing work in the premises of Dharga (Private Land) against SDF Guidelines against Sri G. Naga Mohan, the then Executive Engineer and Sri B. Prathap, the then Assistant Engineer, Dharmavaram Municipality- Disciplinary Proceedings initiated under Rule 20 of the Andhra Pradesh Civil Services (CC & A) Rules, 1991 - Appointment of Sri P. Ananda Rao, Chief Engineer, APTIDCO, QC, Vijayawada as an Inquiry Officer in terms of Rule 20 (2) of A.P.C.S. (CC & A) Rules, 1991 - Orders - Issued.

==========

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.III) DEPARTMENT

G.O.RT.No. 806 Dated: 18-08-2025

Read the following:-

1. From the DG, V&E, General Administration (V&E) Department, Vigilance Report No.03 (C.No.5253/V&E/Engg/2021, ATP, dated 23.01.2024.
2. From the EnC(PH), Tadepalli, Lr.No.319/Dharamavaram/VR.03/Vig.III/CS2/ 2025, dated. 23.05.2025.
3. G.O.Rt.No.589, 590 & 591 MA&UD (Vig.III) Dept., dt: 17.06.2025.
4. Written Statement of Defence of (2) Charged Officers through ENC(PH), Lr.No.319/Dharmavaram/VR.03/Vig.III/CS2/2025, Dt.22.07.2025

*****

ORDER:

Whereas, an inquiry under Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991, is being held against the following officials on the allegations of proposing and executing work in the premises of Dharga (Private Land) against SDF Guidelines in Dharmavaram Municipality:

1. Sri G. Naga Mohan, the then Executive Engineer and
2. Sri B. Prathap, the then Assistant Engineer.

2. Whereas, Government after careful examination of the matter, it is considered that an Inquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoint Sri P. Ananda Rao, Chief Engineer, APTIDCO, QC, Vijayawada as an Inquiry Officer to inquire into charges framed against the above charged officers.

4. The Inquiry Officer shall conduct the inquiry as per A.P.C.S. (CC&A) Rules, 1991 and submit his inquiry report to Government within a period of two months.

5. The Engineer-in-Chief (PH), A.P., Tadepalli shall provide the required material such as Article of Charges, explanation of the Charged Officers etc., to the Inquiry Officer.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S. SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri P. Ananda Rao, Chief Engineer, APTIDCO, QC, Vijayawada & Enquiry Officer **through** the Engineer-in-Chief (PH), A.P., Tadepalli
All the Charged Officers **through** the The Engineer-in-Chief (PH), A.P., Tadepalli
The Engineer-in-Chief (PH), A.P., Tadepalli

Copy to:

The GA(V&E) Dept., A.P., Vijayawada.
The RDMA, Anantapuramu.
The Commissioner, Dharmavaram Municipality.
PS to Prl.Secy (MA&UD)
Sf/Sc (E 2594099).

// FORWARDED :: BY ORDER //

SECTION OFFICER